

**Product Name :**  
Vibrations On Machine Foundations

**Product Code :**  
ASTRALAB-SUPPLYA21085



**Description :**

Vibrations On Machine Foundations

**Technical Specification :**

The can be used to investigate the problems of foundations and vibration isolation using a practical example. Springs are then used to try out different tunings and vibration absorbers are used to investigate absorption effects. This is installed on a foundation using springs and dampers. To do this, vibrations are generated and measured on a foundation. The foundation represents the surroundings and can be used to measure the effectiveness of the vibration isolation. To do this, vibrations are generated and measured on a foundation. An

indispensible element of machine design is targeted reduction of vibrations. An elastic, vibration insulating installation of the machine avoids the transmission of harmful vibrations to the surroundings.

Additional helical springs connect the foundation to the actual frame of the trainer. This double vibration isolation, combined with the high fixed weight of the frame, guarantees vibration-free laboratory operation, even under unfavourable experimental conditions.

Drive motors.

Max. Speed: 6.000min<sup>-1</sup>.

Max. Torque: approx. 3,40nm.

Machine mounted on a plate.

Max. Imbalance force: 2x 500n (up to 3.000min<sup>-1</sup>).

Mass: max. 26kg (incl. Additional weights 4x 2kg).

Max. Imbalance: 2x 5kgmm.



## Astra Scientific

www.astrascientific.com, **Email:** info@astrascientific.com

**Address:** K-88, 20th Street, Annanagar, Chennai, India – 600040 **Phone:** +91-8860605265